



MARK	DATE	DESCRIPTION
PROJECT NO:	60028604	
DRAWN BY:		
CHECKED BY:		
DATE:	10-22-2009	

ISSUE	DESCRIPTION

KEY PLAN	DESCRIPTION

SHEET TITLE	DESCRIPTION
WALL TYPES	

GENERAL NOTES:

1. PROVIDE FIRE RATED GYPSUM BOARD ON ALL WALLS INDICATED TO BE FIRE RATED.
2. PROVIDE CONTINUOUS FIRE RATED SEALANT AT THE INTERSECTIONS OF ALL FIRE RATED WALLS AND CEILING BOARDS ABOVE CEILING.
3. PROVIDE CONTINUOUS SEALANT AT TOP, SIDES, AND BOTTOM SIDES OF WALL OF GYPSUM BOARD PARTITIONS.
4. ALL WALL PARTITIONS SHALL BE STEEDED AND PACKED AROUND WITH SPONGE INSULATION AND SEALANT.
5. ALL JOINTS SHALL BE STEEDED, Taped AND SEALED AT ALL LAPPED GYPSUM BOARD INSTALLATIONS.
6. PROVIDE A MINIMUM OF TWO-STUD SEPARATION BETWEEN OUTLET BOXES AND OTHER PENETRATIONS OCCURRING AT OPPOSITE SIDES OF WALLS.
7. PROVIDE CONTINUOUS BOCKER WALL BOARD AT ALL MET AREAS SUCH AS TOILETS, JANITOR CLOSETS ETC.
8. PROVIDE WALL PENETRATION BETWEEN STUDS WHERE REQUIRED BY INSULATION AND FINISHES.
9. PROVIDE BOCKER FOR TRAYS SUCH AS TOILET ACCESSORIES, TOILET PARTITIONS, DOOR STOPS, DOOR BUMPERS, WALL WALKS, HAND WALKS, ETC.
10. PROVIDE 18 GA. OR HEAVIER METAL STUDS AT ALL OUTSIDE CORNERS OF CORRIDOR WALLS.
11. FOR EXTERIOR WALL DETAILS SEE WALL SECTIONS AND ASSOCIATED DETAILS.
12. SEE WALL SECTIONS, ELEVATIONS, DETAILS, ETC. FOR ADDITIONAL INFORMATION REGARDING INTERIOR PARTITIONS.
13. PROVIDE FASTENING IN CONCEALED SPACES OF STUDS AND PARTITIONS, IN PIERCED SPACES AT CEILINGS AND CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR AT STUDS, TRAY CEILINGS AND SIMILAR CONCEALED SPACES TO 2'-0".
14. PROVIDE ABOVE RESISTANT GASKET AT INTERIOR OF LEAD RESISTANT PARTITIONS, SHIMMELS AND SERVICE LEADERS VESTIBLES.
15. RESISTANT TO BE VAL. OR ABOVE RESISTANT, BUT MUST BE REINFORCED WITH APPROPRIATE REINFORCEMENT.
16. 20 GA. STUDS (WALL) TO BE USED IN ALL AREAS WITH RESISTANT PARTITIONS.
17. PROVIDE SECOND (ADDITIONAL) LAYER OF GYP BOARD TO ELEVATIONS, AT PARTITIONS 2, 3, 4, 5, 15 AND 16 (BUT NOT LIMITED TO ANY AND OTHER PARTITION SHOW ON THESE DRAWINGS) AS DESCRIBED ON THESE DRAWINGS.
18. PROVIDE NEOPRENE METAL STUD FRAMING CONNECTION SOCKET BETWEEN SLAB DOWNS AND FINISH FRAME MECHANICAL CHASE.

SECTION	DESCRIPTION
1	1A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 1B W/ SCHEDULED TILE AT BOTH SIDES (SEE PLANS) 1C (-) NO FIRE RATING REQUIRED 1D (-) NO FIRE RATING REQUIRED 1E (-) NO FIRE RATING REQUIRED
2	2A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 2B W/ SCHEDULED TILE AT BOTH SIDES 2C (-) NO FIRE RATING REQUIRED 2D (-) NO FIRE RATING REQUIRED 2E (-) NO FIRE RATING REQUIRED
3	3A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 3B W/ SCHEDULED TILE AT BOTH SIDES 3C (-) NO FIRE RATING REQUIRED 3D (-) NO FIRE RATING REQUIRED 3E (-) NO FIRE RATING REQUIRED
4	4A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 4B W/ SCHEDULED TILE AT BOTH SIDES 4C (-) NO FIRE RATING REQUIRED 4D (-) NO FIRE RATING REQUIRED 4E (-) NO FIRE RATING REQUIRED
5	5A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 5B W/ SCHEDULED TILE AT BOTH SIDES 5C (-) NO FIRE RATING REQUIRED 5D (-) NO FIRE RATING REQUIRED 5E (-) NO FIRE RATING REQUIRED
6	6A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 6B W/ SCHEDULED TILE AT BOTH SIDES 6C (-) NO FIRE RATING REQUIRED 6D (-) NO FIRE RATING REQUIRED 6E (-) NO FIRE RATING REQUIRED
7	7A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 7B W/ SCHEDULED TILE AT BOTH SIDES (SEE PLANS) 7C (-) NO FIRE RATING REQUIRED 7D (-) NO FIRE RATING REQUIRED 7E (-) NO FIRE RATING REQUIRED
8	8A BANKERS FULL HEIGHT OF WALL 8B BANKERS FULL HEIGHT OF WALL 8C (-) NO FIRE RATING REQUIRED 8D (-) NO FIRE RATING REQUIRED 8E (-) NO FIRE RATING REQUIRED
9	9A ALL CELLS FULL HEIGHT OF WALL 9B ALL CELLS FULL HEIGHT OF WALL 9C (-) NO FIRE RATING REQUIRED 9D (-) NO FIRE RATING REQUIRED 9E (-) NO FIRE RATING REQUIRED
10	10A ALL CELLS FULL HEIGHT OF WALL 10B ALL CELLS FULL HEIGHT OF WALL 10C (-) NO FIRE RATING REQUIRED 10D (-) NO FIRE RATING REQUIRED 10E (-) NO FIRE RATING REQUIRED
11	11A ALL CELLS FULL HEIGHT OF WALL 11B ALL CELLS FULL HEIGHT OF WALL 11C (-) NO FIRE RATING REQUIRED 11D (-) NO FIRE RATING REQUIRED 11E (-) NO FIRE RATING REQUIRED
12	12A W/ SCHEDULED TILE AT ONE SIDE (SEE PLANS) 12B W/ SCHEDULED TILE AT BOTH SIDES (SEE PLANS) 12C (-) NO FIRE RATING REQUIRED 12D (-) NO FIRE RATING REQUIRED 12E (-) NO FIRE RATING REQUIRED