

RESOLUTION NO. 2020 2699

A RESOLUTION OF THE TOWN COMMISSION OF THE TOWN OF SURFSIDE, FLORIDA, APPROVING THE PURCHASE OF WATERSLIDE REPAIR AND MAINTENANCE WORK FROM DALE COOPER LLC D/B/A SAFE SLIDES RESTORATION; FINDING THAT THE PURCHASE IS EXEMPT FROM COMPETITIVE BIDDING PURSUANT TO SECTION 3-13(7)F OF THE TOWN CODE AS A PUBLIC WORKS OR UTILITIES PURCHASE FOR TOWN FACILITY MAINTENANCE WORK; AUTHORIZING THE TOWN MANAGER TO ENTER INTO A PURCHASE ORDER FOR SUCH PURCHASE; PROVIDING FOR IMPLEMENTATION; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Town of Surfside (Town”) needs repair and maintenance work for the waterslides located at the Town Community Center’s main pool and Sand Dollar Key Water Tot Lot (“Work”); and

WHEREAS, pursuant to Section 3-13(7)(f) of the Town’s Code, public works or utilities maintenance and repair purchases for Town facilities are exempt from competitive bidding; and

WHEREAS, the Town solicited three (3) quotes for the Work and received the lowest quote from Dale Cooper LLC d/b/a Safe Slides Restoration (“Vendor”);

WHEREAS, the Vendor has provided a quote attached hereto as Exhibit “A” for the Work at a cost of \$38,900.00 (the “Quotation”); and

WHEREAS, the Town Commission wishes to authorize the Town Manager to purchase the Work and enter into a Purchase Order with the Vendor, in substantially the same form as the Quotation attached hereto as Exhibit “A”; and

WHEREAS, the Town Commission finds that the purchase of the Work is in the best interests and welfare of the Town.

NOW, THEREFORE, BE IT RESOLVED BY THE TOWN COMMISSION OF THE TOWN OF SURFSIDE, FLORIDA, AS FOLLOWS:

Section 1. Recitals Adopted. Each of the above stated recitals are hereby adopted, confirmed, and incorporated herein.

Section 1. Purchase of Work Approved; Exemption from Competitive Bidding.
The purchase of the Work in the amount of \$38,900.00 from the Vendor is hereby approved. The Town Commission finds that pursuant to Section 3-13(7)(f) of the Town’s Code, the purchase of the Work is exempt from competitive bidding. The Quotation, in substantially the same form attached hereto as Exhibit “A,” is hereby approved, and the Town Manager is authorized to execute a Purchase Order for the Work in substantially the same form as the Quotation attached hereto as Exhibit “A.”

Section 3. Implementation. The Town Manager and Town Officials are authorized to take any and all necessary or further action to implement the purchase of the Work and the purposes of this Resolution.

Section 4. Effective Date. This Resolution shall be effective immediately upon adoption.

PASSED AND ADOPTED this 23rd day of June, 2020.

Motion by: Vice Mayor Paul
Seconded by: Commissioner Velasquez


FINAL VOTE ON ADOPTION:

Commissioner Charles Kesl	<u>Absent</u>
Commissioner Eliana R. Salzhauer	<u>Yes</u>
Commissioner Nelly Velasquez	<u>Yes</u>
Vice Mayor Tina Paul	<u>Yes</u>
Mayor Charles W. Burkett	<u>Yes</u>



Charles W. Burkett, Mayor

ATTEST:



Sandra Novoa, MMC
Town Clerk

**APPROVED AS TO FORM AND LEGALITY FOR THE USE
AND BENEFIT OF THE TOWN OF SURFSIDE ONLY:**



Weiss Serota Helfman Cole & Bierman, P.L.
Town Attorney

Exhibit "A"

Dale Cooper LLC DBA Safe Slide Restoration
P.O. Box 186, Fredericktown, MO 63645
855.639.7543
www.safeslides.com

December 12th, 2018

Town of Surfside, Parks and Recs / Elizabeth Hopkins
9293 Harding Avenue / Surfside, FL 33154
Phone: 305-905-7380 / ehopkins@townofsurfsidefl.gov

Hello Elizabeth,

The following is a proposal for the restoration of your water slides and slide towers. This proposal is based on the inspection Safe Slide Restoration did on November 8, 2018. Our company is certified in fiberglass composites by the American Composite Manufacturer's Association (ACMA). We have over 20-years of experience working with fiberglass and gel coat.

There is a 5 - year warranty on the paint for adhesion.
There is a 5 - year warranty on the structural fiberglass repair not to delaminate.
There is a 5 - year warranty on the gel coat. With yearly maintenance plan

Superior Products
Industry Proven
Chosen by Performance not Price

Documented Procedures
Consistent & Standards
Safety Standards
Proper PPE

Unmatched Certifications
ACMA, NACE, OSHA, Non-Slip
Experience: 120 Projects Last Year

All Project Managers are ACMA Certified
Gel Coat Thickness Meets OEM Standards
Meeting Deadlines
Responsive

Slide Description:

Open Flume Body Slide – White Interior, Light Green Exterior
Family Body Slide – Turquoise Green
Closed Flume Child Slide - White Interior, Light Green Exterior
Two Slide Structures - Grey

Work Description:

Gel Coat – Interior of Family Body Slide:

Repair all minor structural repairs in ride path* (minor repair does not require laminating)
All repairs will be done with vinyl-ester resin
Prepare interior ride path for Gel Coat
Lay non-skid at start tub if needed
Refinish interior ride path of slide with Gel Coat
Gel Coat will be applied to a thickness of 18 - 24 mils.
Premium Gel Coat will be used
Recaulk all seams (recaulking is not a guarantee to stop leaking seams) **
Seams will be sealed with premium caulk
Gel coat RAL color: _____ INIT:

Structural Repairs - (As Needed On All 3 Slides):

Repair all structural repairs in ride path*
All repairs will be done with vinyl-ester resin
Recaulk seams as needed (recaulking is not a guarantee to stop leaking seams) **
Seams will be sealed with premium caulk
Non-slip will be chemically washed, if needed

Polish and Wax – (Interior of Open Flume Body Slide, :

Clean start tubs and all open flume sections
Polish start tubs and all open flume sections
Wax start tubs and all open flume sections




Paint – (Exterior of Open Flume Body Slide, Child Slide and Metal Components of 2 Slide Towers):

Wash exterior of slide with cleaner
Prime-coat bare areas as needed
Paint exterior with Poly - Siloxane Paint
➤ Paint RAL color: _____ INIT:

We at Safe Slide Restoration are committed to quality and customer satisfaction. We are an international company that provides services to the largest water parks and cruise lines in the world. We look forward to putting our expertise to work for you. Please feel free to call our office at 855-639-7543 or my cell at 989-954-6235 if you have any questions or comments.

Thank you for your consideration, we appreciate your time!

Sincerely,
Joshua Lones
Field Safety Inspector
joshua@safeslides.com



Terms & Conditions

***Structural repair is defined as any damage that is an obvious threat to the guests, (i.e. a chip or gouge with a sharp edge). This is not to be confused with cosmetic repair, (i.e. a spider crack with no flaking or raised edge). This does not include any major repairs that require fiberglass cloth and resin lamination.**

**** Because of the restrictions of our caulk being able to adhere to joints without the proper amount of surface area, we require that the seams are 3/16" wide to caulk them (If the seams to tight the caulk will not adhere).**

Customer Expectations

Safe Slide Restoration reserves the right to have adequate access to the project area to complete the project as efficiently as Safe Slide Restoration deems necessary. This may require, but not limited to: working 12 hours per day / seven days a week. The park is responsible to provide an adequate water source (5 gallons per minute), electrical power (multiple circuits will be needed), and restroom facilities for the duration of the job. If there are any chip repairs and gel coat is required; we are capable of doing in field color-matching for gel coat. Safe Slide technicians will tint the gel coat to match the existing gel coat (This is not to be confused with manufacturer's exact color matching). Customer has the right to request a draw down if request is made 45 days before Safe Slide arrives. Recaulking seams does not apply if the seams are fiberglassed over. If legal proceedings are necessary, they will have to be carried out in Madison County, Missouri.

Customer Responsibilities

If we are repairing leaking seams the customer is responsible for identifying the leaking seams by labeling seams on the interior and exterior of slide (we recommend using a permanent marker in the ride path to label seams). Customer is responsible for identifying areas where lift cannot operate. If a lift is needed, we are not responsible for any broken concrete, landscaping, etc. Safe Slide may request the removal of fencing to allow a lift to access the water slide area (if there isn't access through gate opening). Customer is responsible for providing waste removal. The customer is required to provide access to restrooms for entirety of project. A walk through of finished work as well as a sign-off is required before our staff leaves the job site. Missing the post project walk through is equivalent to an approved sign off by the customer. Safe Slide Restoration will not be responsible for unscheduled return work in the case that the customer misses scheduled post project walk-through and subsequent sign-off.

Possible Additional Charges/Non-Warranty Items

We do not warranty wet coring or wet substrates. There will be an additional charge for interior or exterior failed coatings. If there are any previous interior or exterior coatings; Safe Slide Restoration does not warranty any substrates previously coated after the manufacturer's original coating, or any previous repairs. The pricing above does not include the cost of state taxes, licenses, or permits if required. Sometimes slides require a second coat of paint to achieve the desired finish. If a second coat of paint is required there will be an additional charge of 50% of the original paint price. A 2-3-point Tie-off system on top portion of closed flume slide may be needed if a lift is inaccessible. A cost of \$90 per panel will be assessed and tie offs will stay in place for customer use. An additional daily fee may be assessed if the project site is compromised due to negligence of customer or persons under the customer's control of on said project site. If the customer does not show up and needs to postpone the post job walk through, there will be an additional charge for the delay. This will be determined by how long Safe Slide must stay on site in order to get the walk-through and sign-off which is required before our staff leaves the site. **The cost of a lift is not included in the above pricing.** If a lift is required, it will be the responsibility of the park to provide.

Confidentiality Agreement

The information in this document is confidential to the person to whom it is addressed and should not be disclosed to any other person. It may not be reproduced in whole, or in part, nor may any of the information contained therein be disclosed without the prior written consent of the directors of Safe Slide Restoration.